



Product Catalogue


**MAY THE SPORT OF LIFE
NEVER STOP**

Index

ⓈⓈⓈ?	-----	7
ⓈⓈⓈ7Ⓢ	-----	8
ⓈⓈ?	-----	9
ⓈⓈⓈⓈ?	-----	12
?	-----	15
ⓈⓈ?	-----	21
Ⓢ?	-----	27
Meniscus Repair	-----	31

SUSPENSORY FIXATION FEMORAL

INFILOOP®
Fixed Loop Button



PROLOOP™
Adjustable Loop Button



Catalogue No.	Description
S23-1210-C	Infiloop Fixed loop Button-10mm
S23-1215-C	Infiloop Fixed loop Button-15mm
S23-1220-C	Infiloop Fixed loop Button-20mm
S23-1225-C	Infiloop Fixed loop Button-25mm
S23-1230-C	Infiloop Fixed loop Button-30mm
S23-1235-C	Infiloop Fixed loop Button-35mm
S23-1415-C	Infiloop XL Fixed loop Button-15mm
S23-1420-C	Infiloop XL Fixed loop Button-20mm
S23-1425-C	Infiloop XL Fixed loop Button-25mm
S23-1430-C	Infiloop XL Fixed loop Button-30mm
S23-1435-C	Infiloop XL Fixed loop Button-35mm
S23-1460-C	Proloop Ultra Adjustable Loop Button-60mm
S23-1490-C	Proloop Ultra Adjustable Loop Button-90mm
S23-2090-C	Proloop XL Adjustable Loop Button- 90mm
S23-8100-C	Proloop Mini Adjustable Loop Button-100mm

RELATED INSTRUMENTS



S25-45FD-AU • Cannulated Femoral
4.5 mm reamer



S25-325D-A • Spade Tip Drill - 3.25mm



S25-0029-A • Passing Pin



S25-250D-A • Spade Tip Drill - 4.5mm

Features:

- Strong & easy fixation
- UHMWPE loop
- Double cross lock
- Different colour suture for pulling and flipping the button

SUSPENSORY FIXATION TIBIA

Catalogue No.	Description
S23-1000-D	Open Button without loop-4 Hole
S23-0090-S	Adjustable Loop 90mm (without button)
S23-1600-K	PEEK Tibial Button (Open, without loop)
S23-1660-K	PEEK Tibial Button with Adjustable Loop

Open Button without loop - 4 Hole



PEEK Tibial Button (Open, without loop)



Adjustable Loop 90mm (without button)



PEEK Tibial Button with Adjustable Loop



Features:

- Better cortical fixation
- UHMWPE loop
- Double cross lock

INTERFERENCE FIXATION (β -TCP)

HELYSIS® Interference Screw (β -TCP)



Catalogue No.	Description
S23-6020-B	Helysis ACL Screw- Beta TCP 6mmX20mm
S23-6025-B	Helysis ACL Screw- Beta TCP 6mmX25mm
S23-7020-B	Helysis ACL Screw- Beta TCP 7mmX20mm
S23-7025-B	Helysis ACL Screw- Beta TCP 7mmX25mm
S23-7030-B	Helysis ACL Screw- Beta TCP 7mmX30mm
S23-8025-B	Helysis ACL Screw- Beta TCP 8mmX25mm
S23-8030-B	Helysis ACL Screw- Beta TCP 8mmX30mm
S23-9025-B	Helysis ACL Screw- Beta TCP 9mmX25mm
S23-9030-B	Helysis ACL Screw- Beta TCP 9mmX30mm
S23-9035-B	Helysis ACL Screw- Beta TCP 9mmX35mm
S23-1025-B	Helysis ACL Screw- Beta TCP 10mmX25mm
S23-1030-B	Helysis ACL Screw- Beta TCP 10mmX30mm
S23-1035-B	Helysis ACL Screw- Beta TCP 10mmX35mm
S23-1130-B	Helysis ACL Screw- Beta TCP 11mmX30mm

RELATED INSTRUMENTS



S25-240D-A • 2.4 mm drill bit



S25-100G-A • Guidewire 1.0 mm



S25-1800-AU • Guidewire 1.8 mm



S25-BSNS-A • Helysis Bio Screw driver Small



S25-BSNL-A | Helysis Bio Screw driver large



S25-UTDC-A • Sironix Screw Starter & S25-0044-A • Cannulated T-handle

Features:

- Variable pitch design
- Blunt thread profile
- Tapered tip design
- Minimal chance for tunnel deviation

INTERFERENCE FIXATION (PEEK)

HELYSIS® Interference Screw (PEEK)



Catalogue No.	Description
S23-7020-K	Helysis ACL Screw- PEEK 7mmx20mm
S23-7025-K	Helysis ACL Screw- PEEK 7mmX25mm
S23-7030-K	Helysis ACL Screw- PEEK 7mmX30mm
S23-8025-K	Helysis ACL Screw- PEEK 8mmx25mm
S23-8030-K	Helysis ACL Screw- PEEK 8mmX30mm
S23-9025-K	Helysis ACL Screw- PEEK 9mmX25mm
S23-9030-K	Helysis ACL Screw- PEEK 9mmX30mm
S23-9035-K	Helysis ACL Screw- PEEK 9mmX35mm
S23-1025-K	Helysis ACL Screw- PEEK 10mmX25mm
S23-1030-K	Helysis ACL Screw- PEEK 10mmX30mm
S23-1035-K	Helysis ACL Screw- PEEK 10mmX35mm
S23-1130-K	Helysis ACL Screw- PEEK 11mmX30mm

RELATED INSTRUMENTS



S25-240D-A • 2.4 mm drill bit



S25-100G-A • Guidewire 1.0 mm



S25-1800-AU • Guidewire 1.8 mm



S25-BSNS-A • Helysis Bio Screw driver Small



S25-BSNL-A • Helysis Bio Screw driver large



S25-UTDC-A • Sironix Screw Starter & S25-0044-A • Cannulated T-handle

Features:

- Variable pitch design
- Blunt thread profile
- Tapered tip design
- Minimal chance for tunnel deviation

KNEE SCREWS TITANIUM

HELYSIS® Interference Screw (TITANIUM)



Catalogue No.	Description
S24-7020-M	7mmX20mm ACL Screw-Titanium
S24-7025-M	7mmX25mm ACL Screw-Titanium
S24-7030-M	7mmX30mm ACL Screw-Titanium
S24-8025-M	8mmX25mm ACL Screw-Titanium
S24-8030-M	8mmX30mm ACL Screw-Titanium
S24-8525-M	8.5mmX25mm ACL Screw-Titanium
S24-8530-M	8.5mmX30mm ACL Screw-Titanium
S24-9025-M	9mmX25mm ACL Screw-Titanium
S24-9030-M	9mmX30mm ACL Screw-Titanium
S24-9035-M	9mmX35mm ACL Screw-Titanium
S24-9530-M	9.5mmX30mm ACL Screw-Titanium
S24-9535-M	9.5mmX35mm ACL Screw-Titanium
S24-1025-M	10mmX25mm ACL Screw-Titanium
S24-1030-M	10mmX30mm ACL Screw-Titanium
S24-1035-M	10mmX35mm ACL Screw-Titanium
S24-1530-M	10.5mmX30mm ACL Screw-Titanium
S24-1535-M	10.5mmX35mm ACL Screw-Titanium
S24-1130-M	11mmX30mm ACL Screw-Titanium
S24-1135-M	11mmX35mm ACL Screw-Titanium

RELATED INSTRUMENTS



S25-240D-A • 2.4 mm drill bit



S25-MSDL-A • Screw Driver Fixed-Metal



S25-240D-A • 2.4 mm drill bit



S25-UTDC-A • Sironix Screw Starter & S25-0044-A • Cannulated T-handle



S25-1200-A • Guidewire 1.0 mm

Features:

- Variable pitch design
- Blunt thread profile
- Tapered tip design
- Minimal chance for tunnel deviation

SECONDARY FIXATION

**Bone Ligament Staple
Titanium**



Catalogue No.	Description
S24-1437-T	Suture Disc D hole Titanium
S24-1438-T	Suture Disc Round hole Titanium
S24-1439-T	Bone Ligament staple (small)
S24-1440-T	Bone Ligament staple (medium)
S24-1441-T	Bone Ligament staple (Large)
S24-1442-T	Spiked washer 4.0mm
S24-1443-T	Cannulated Cancellous Screw 4mmx30mm Short
S24-1444-T	Cannulated Cancellous Screw 4mmx40mm Short
S24-1445-T	Cannulated Cancellous Screw 6.5mmx35mm Short
S24-1446-T	Cannulated Cancellous Screw 4mmx35mm Short
S24-1447-T	Suture Post 30mm


**Suture Disc Round Hole
Titanium**




**Suture Disc D Hole
Titanium**



**Suture Post
Titanium**



**Spiked Washer
Titanium**



KNEE INSTRUMENTS

Catalogue No.	Description
S25-0002-A	Tendon stripper - Open
S25-0003-A	Tendon stripper - Closed
S25-0004-A	Knee probe
S25-0005-A	PCL Elevator
S25-0006-A	Depth Gauge
S25-0016-A	Graft gauge/ Sizing block
S25-0017-A	Graft master
S25-0046-A	Graft Master with Tensioner
S25-0023-A	Staple Impactor
S25-0010-A	Rasp - Straight
S25-0031-A	Rasp - Convex
S25-0032-A	Rasp - Half Round
S25-0036-A	Curette

Tendon stripper - Open



Tendon stripper - Closed • 5mm | 6mm | 7mm




Knee probe



Depth Gauge



Graft gauge/ Sizing block



PCL Elevator



Graft master



Rasp - Straight



Rasp - Convex



Staple Impactor



Curette



KNEE INSTRUMENTS

Micro Fracture Awl

30 Degree	45 Degree	90 Degree
S25-0020-A	S25-0021-A	S25-0022-A



Femoral Aimer

5 mm	6 mm	7 mm
S25-1005-A	S25-1006-A	S25-1007-A



Taper Peg

7-8 mm	8-9 mm	9-10 mm
S25-0024-A	S25-0025-A	S25-0026-A



Cannulated Tunnel Dilator

7 mm	8 mm	9 mm	T-handle
S25-0041-A	S25-0042-A	S25-0043-A	S25-0044-A





Catalogue No.	Description
S25-1000-J	ACL JIG Complete Set
S25-1000-JT	ACL JIG Complete Set(T)




Large Markings: From 45-80 Deg. on guiding arm for convenience



Patented Three-point Jig: Ensures continuous visual feedback on the approach angle



Ergonomic Design: Reduces fatigue



Chamfered Knob: Quick release of the ratchet



Drill Sleeve: For quick connect of ratcheting

KNEE INSTRUMENTS

SIRONIX
Arthroscopy Solutions

Catalogue No.	Description
S25-5000-A	Cannulated Tibial 5.0 mm reamer
S25-6000-A	Cannulated Tibial 6.0 mm reamer
S25-7000-A	Cannulated Tibial 7.0 mm reamer
S25-8000-A	Cannulated Tibial 8.0 mm reamer
S25-9000-A	Cannulated Tibial 9.0 mm reamer
S25-1000-A	Cannulated Tibial 10.0 mm reamer
S25-1100-A	Cannulated Tibial 11.0 mm reamer
S25-45FD-A	Cannulated Femoral 4.5 mm reamer
S25-500D-A	Cannulated Femoral 5.0 mm reamer
S25-600D-A	Cannulated Femoral 6.0 mm reamer
S25-700D-A	Cannulated Femoral 7.0 mm reamer
S25-750D-A	Cannulated Femoral 7.5 mm reamer
S25-800D-A	Cannulated Femoral 8.0 mm reamer
S25-850D-A	Cannulated Femoral 8.5 mm reamer
S25-900D-A	Cannulated Femoral 9.0 mm reamer
S25-950D-A	Cannulated Femoral 9.5 mm reamer
S25-100D-A	Cannulated Femoral 10.0 mm reamer
S25-105D-A	Cannulated Femoral 10.5 mm reamer
S25-1100-A	Cannulated Femoral 11.0 mm reamer



Catalogue No.	Description
S25-3060-T	StepCutter 4.5 X 6.0 mm
S25-3065-T	StepCutter 4.5 X 6.5 mm
S25-3070-T	StepCutter 4.5 X 7.0 mm
S25-3075-T	StepCutter 4.5 X 7.5 mm
S25-3080-T	StepCutter 4.5 X 8.0 mm
S25-3085-T	StepCutter 4.5 X 8.5 mm
S25-3090-T	StepCutter 4.5 X 9.0 mm
S25-3095-T	StepCutter 4.5 X 9.5 mm
S25-3100-T	StepCutter 4.5 X 10 mm
S25-3110-T	StepCutter 6.0 X 11.0 mm
S25-3120-T	StepCutter 6.0 X 12.0 mm
S25-3001-T	Stepped Bullet, 4.5mm ID, for StepCutter Jig
S25-3002-T	Stepped Bullet, 6.0mm ID, for StepCutter Jig
S25-3003-T	Bullet Sleeve 2.4mm ID, for StepCutter Jig
S25-3004-T	Nitinol Wires
S25-3005-T	Nitinol Shuttle with Loop
S25-3200-T	ACL Femoral Arm, Right, for StepCutter Jig
S25-3201-T	ACL Femoral Arm Left, for StepCutter Jig
S25-3300-T	ACL Tibial Arm, Elbow, for StepCutter Jig
S25-3400-T	PCL Femoral Arm, for StepCutter Jig
S25-3500-T	PCL Tibial Arm, for StepCutter Jig
S25-3520-T	Bullet, 2.4Mm ID, for StepCutter Jig
S25-3600-T	Meniscal Root Arm, for StepCutter Jig
S25-3700-T	ACL Tibial Arm, Oval, for StepCutter Jig
S25-3800-T	Guide Body, for StepCutter Jig



Catalogue No.	Description
S26-0015-T	Shoveler NR Straight Punch
S26-0016-T	Diver Straight Cut Punch
S26-0017-T	Diver 15 degree UP
S26-0018-T	Grasper Diver With Lock Straight
S26-0019-T	Diver 20 degree Right
S26-0020-T	Diver 20 degree Left

Shoveler NR Straight Punch



Diver Straight Cut Punch




Diver 15 degree UP (Left and Right)



Grasper Diver With Lock Straight



SHOULDER IMPLANTS TITANIUM ANCHORS



Catalogue No.	Description
S33-2501-M	Spyke Titanium Anchor 2.5mm SS
S33-2802-M	Spyke Titanium Anchor 2.8mm DS
S33-28E2-M	Spyke Titanium Anchor 2.8mm DT
S33-4802-M	Ceptre Titanium Anchor 4.8mm DS
S33-48E2-M	Ceptre Titanium Anchor 4.8mm DT
S33-5502-M	Ceptre Titanium Anchor 5.5mm DS
S33-5502-MN	Ceptre Titanium Anchor 5.5mm DS with needle
S33-5502-MNS	Ceptre Titanium Anchor 5.5mm DS with needle (Small)
S33-5503-M	Ceptre Titanium Anchor 5.5mm TS
S33-55E2-M	Ceptre Titanium Anchor 5.5mm DT
S33-6502-M	Ceptre Titanium Anchor 6.5mm DS
S33-6503-M	Ceptre Titanium Anchor 6.5mm TS
S33-65E2-M	Ceptre Titanium Anchor 6.5mm DT

RELATED INSTRUMENTS

S45-0025-DU • 2.5 mm Anchor Drill for Spyke 2.5mm anchors

S45-0028-DU • 2.8 mm Anchor Drill for Spyke 2.8mm anchors



S45-0075-LU • Universal Guiding cannula



S45-1148-LU • Blunt Straight Awl-4.8 mm for Cepter & Viplok PEEK Tip




S45-1155-LU • Blunt Straight Awl-5.5 mm for Cepter & Viplok PEEK Tip


Features:

- UHMWPE Suture
- Double or Triple loaded Tapes
- Maximum Fixation Strength
- Titanium Anchor suitable for weak/osteoporotic bone

SHOULDER IMPLANTS PEEK ANCHORS



SPYKE™
Knotted Anchor (PEEK)



CEPTRE®
Knotted Anchor (PEEK)



Catalogue No.	Description
S33-2501-K	Spyke PEEK Anchor 2.5mm SS
S33-2802-K	Spyke PEEK Anchor 2.8mm DS
S33-28E2-K	Spyke PEEK Anchor 2.8mm DT
S33-4802-K	Ceptre PEEK Anchor 4.8mm DS
S33-48E2-K	Ceptre PEEK Anchor 4.8mm DT
S33-4804-K	Ceptre PEEK Anchor 4.8mm SST
S33-5502-K	Ceptre PEEK Anchor 5.5mm DS
S33-5503-K	Ceptre PEEK Anchor 5.5mm TS
S33-55E2-K	Ceptre PEEK Anchor 5.5mm DT
S33-5504-K	Ceptre PEEK Anchor 5.5mm SST

RELATED INSTRUMENTS

S45-0025-DU • 2.5 mm Anchor Drill for
Spyke 2.5mm anchors

S45-0028-DU • 2.8 mm Anchor Drill
for Spyke 2.8mm anchors



S45-0075-LU • Universal Guiding cannula



S45-1148-LU • Blunt Straight Awl-4.8 mm for
Ceptre & Viplok PEEK Tip




S45-1155-LU • Blunt Straight Awl-5.5 mm for
Ceptre & Viplok PEEK Tip


Features:

- UHMWPE Suture
- Double or Triple loaded Tapes
- Maximum Fixation Strength
- Titanium Anchor suitable for weak/osteoporotic bone

SHOULDER IMPLANTS KNOTLESS ANCHORS



Catalogue No.	Description
S33-2403-K	Viplok Knotless Peek Anchor 2.4mm
S33-5506-K	Viplok Knotless PEEK Anchor-5.5mm Screw
S33-5507-K	Viplok Knotless PEEK Anchor-5.5mm Wedge
S33-5508-K	Viplok Knotless Anchor-5.5mm Self tap Screw
S33-5509-K	Viplok Knotless Anchor-5.5mm Self tap Wedge



VIPOK®
Knotless Anchor (PEEK)

RELATED INSTRUMENTS



S45-0024-DU • 2.4 mm Anchor Drill for
Viplok Knotless 2.4mm
PEEK anchor



S45-1148-LU • Blunt Straight Awl-4.8 mm for
Ceptre & Viplok PEEK Tip



S45-1155-LU • Blunt Straight Awl-5.5 mm for
Ceptre & Viplok PEEK Tip

Features:

- Anchor comes preloaded on an inserter assembly
- Intended for fixation of suture to bone/tissue fixation
- Capable of taking multiple (4-6) suture/tapes
- Available in wedge & screw design

SHOULDER IMPLANTS ALL SUTURE ANCHORS



Catalogue No.	Description
S33-1501-S	Stativ All Suture Anchor 1.5mm SS
S33-15E1-S	Stativ All Suture Anchor 1.5mm ST
S33-1802-S	Stativ All Suture Anchor 1.8mm DS
S33-18E2-S	Stativ All Suture Anchor 1.8mm DT
S33-2502-S	Stativ All Suture Anchor 2.5mm DS
S33-2503-S	Stativ All Suture Anchor 2.5mm TS
S33-25E2-S	Stativ All Suture Anchor 2.5mm DT

RELATED INSTRUMENTS

S45-FL18-DU • 1.8 mm Flexible Anchor Drill
for Stativ 1.8mm curved cannula

S45-FL15-DU • 1.5 mm Flexible Anchor Drill
for Stativ 1.5mm curved cannula



S45-1512-LT • 1.5mm Stativ Curved Sleeve 12°
S45-1812-LT • 1.8mm Stativ Curved Sleeve 12°


S45-1525-LT • 1.5mm Stativ Curved Sleeve 25°
S45-1825-LT • 1.8mm Stativ Curved Sleeve 25°

Features:

- Anchor design provides benefits of bone preservation
- UHMWPE Suture material
- Unique tri-pod bunched up pattern doubles up compared to the original size
- Gives higher pull out strength

SHOULDER IMPLANTS BIO-ANCHORS

SIRONIX
Arthroscopy Solutions



**CEPTRE®
Knotted Anchor
(β-TCP)**



Catalogue No.	Description
S33-2501-B	Spyke Beta TCP Anchor 2.5mm SS
S33-2802-B	Spyke Beta TCP Anchor 2.8mm DS
S33-28E2-B	Spyke Beta TCP Anchor 2.8mm DT
S33-4802-B	Ceptre Beta TCP Anchor 4.8mm DS
S33-48E2-B	Ceptre Beta TCP Anchor 4.8mm DT
S33-4804-B	Ceptre Beta TCP Anchor 4.8mm SST
S33-5502-B	Ceptre Beta TCP anchor 5.5mm DS
S33-55E2-B	Ceptre Beta TCP anchor 5.5mm DT
S33-5504-B	Ceptre Beta TCP anchor 5.5mm SST
S33-5506-B	Viplok Knotless Beta TCP Screw Anchor-5.5mm Peek tip
S33-5507-B	Viplok Knotless Beta TCP Wedge Anchor-5.5mm Peek Tip
S33-5508-B	Viplok Knotless Beta TCP Screw Anchor-5.5mm S tap
S33-5509-B	Viplok Knotless Beta TCP Wedge Anchor-5.5mm S tap



**SPYKE™
Knotted Anchor
(β-TCP)**



**VIPOK®
Knotted Anchor (β-TCP)**



RELATED INSTRUMENTS

S45-0025-DU • 2.5 mm Anchor Drill for
Spyke 2.5mm anchors



S45-0028-DU • 2.8 mm Anchor Drill
for Spyke 2.8mm anchors



S45-1148-LU • Blunt Straight Awl-4.8 mm for
Ceptre & Viplok PEEK Tip




S45-1155-LU • Blunt Straight Awl-5.5 mm for
Ceptre & Viplok PEEK Tip

Features:

- UHMWPE Suture
- Double or Triple loaded Tapes
- Maximum Fixation Strength
- Titanium Anchor suitable for weak/osteoporotic bone

Catalogue No.	Description
S36-0001-T	Tissue grasper with Ratchet Straight
S36-0003-T	Crochet Hook Straight
S36-0007-T	Sliding Suture Cutter Straight
S36-0008-T	Clever Hook Right
S36-0009-T	Clever Hook Left
S36-0010-T	Sixter Left
S36-0011-T	Sixter Right
S36-0012-T	Penetrating Grasper Straight
S36-0014-T	Tissue Liberator Blade Up
S36-0018-T	Tape Cutter
S36-0019-T	Suture Manipulator
S36-0020-T	Mallet
S36-0021-T	Shoulder Instrument Box-Large
S36-0022-T	Shoulder Instrument Set Box-Premium
S36-0023-T	Combo Grasper
S36-0025-T	Tissue Liberator Blade Down

Tissue grasper with Ratchet Straight



Clever Hook Right / Left



Penetrating Grasper Straight



Sixter Left / Right



Tape Cutter



Suture Manipulator



Tissue Liberator - Blade Up / Blade Down



Catalogue No.	Description
S36-0004-T	Switching Stick
S36-0005-T	Calibrated Probe
S36-0006-T	Knot Pusher Full Loop
S36-0013-T	Rasp up bend 20 degree
S36-0024-T	Rasp down bend 20 degree
S36-2000-T	R-Suture Passer 17mm Working Length
S39-0011-T	Cannula Introducer (8mm)
S39-0012-T	Cannula Introducer (6mm)
S39-2001-T	SP Needle With Lateral Opening
S39-3001-T	Clean Pass Suture Passing Handpiece
S39-3002-T	Clean Pass Suture Passing Needle-Medium
S39-3003-T	Clean Pass Suture Passing Needle 45 degree LT
S39-3004-T	Clean Pass Suture Passing Needle 45 degree RT
S39-3005-T	Clean Pass Suture Passing Needle 90 degree UP
S39-3006-T	Clean Pass SI Roller replacement Kit
S39-3007-T	Clean Pass Suture Shuttle
S36-3000-T	Crescent Disposable Suture Passer
S36-3001-T	Crescent Disposable Suture Passer Needle
S36-1006-T	Tape knot pusher

Switching Stick



Knot Pusher Full Loop



Calibrated Probe



SurePass™



Cannula



Rasp down bend 20 degree



Rasp up bend 20 degree



Catalogue No.	Description
S36-3002-T	Disposable Lasso Straight
S36-3003-T	Disposable Lasso 25 Degree Left
S36-3004-T	Disposable Lasso 25 Degree Right
S36-3005-T	Disposable Lasso 45 Degree Left
S36-3006-T	Disposable Lasso 45 Degree Right
S36-3007-T	Disposable Lasso 90 Degree Left
S36-3008-T	Disposable Lasso 90 Degree Right




Disposable Lasso 45 Degree Right / Left

Catalogue No.	Description
S29-1500-TQ	Meniscus Repair Needle
S29-1501-TQ	Meniscal Repair Cannula - Single Lumen-Straight
S29-1502-TQ	Meniscal Repair Cannula Double Lumen-Straight
S29-1503-TQ	Meniscal Repair Cannula Double Lumen-Up/Down
S29-1504-TQ	Meniscal Repair Cannula Double Lumen-Left/Right
S29-1505-TQ	Meniscal Repair Cannula Double Lumen-Up Bend 45 degree
S29-1506-TQ	Meniscal Repair Cannula Double Lumen-Down bend 45 degree
S29-1599-TQ	Meniscus Repair Needle Straight taper cut
S29-1600-TQ	Meniscus Repair Needle 350mm Straight taper cut

Cannula



Meniscus Repair Needle



MENISCUS REPAIR: ALL INSIDE

Catalogue No.	Description
S29-1700-TQ	Sure Stitch Open Cannula
S29-1701-TQ	Sure Stitch Suture Cutter
S29-1702-TQ	Sure Stitch Diamond Rasp
S29-1703-TQ	Sure Stitch Meniscus Depth Gauge
S29-1800-TQ	Sure Stitch Meniscus Repair Implant



Sure Stitch Meniscus Repair Implant

Related Instruments



Sure Stitch Diamond Rasp



Sure Stitch Meniscus Depth Gauge



Sure Stitch Suture Cutter



Sure Stitch Open Cannula

Features:

- 17 Gauge stiff needle for effortless piercing
- A built-in adjustable depth control sheath prevents over insertion
- Safety knob prevents misfiring
- Audible & visual confirmation ensures sequential implant selection
- Audible click ensure implant deployment feedback
- Ergonomic design enables single handed use